



ACQUAINT


TECHNICAL SPECIFICATION



Acquaint

Beautiful range of slate-effect porcelain tiles, suitable for interiors and exteriors. From inside to out tiles, in a 10mm and 20mm thickness.


Suitable for:




Exterior



Heavy Footfall



Pool Edging




Stairs

Sizes

2600 x 1200 x 7mm rectified brushed
 1200 x 1200 x 9mm rectified brushed
 1200 x 1200 x 9mm rectified natural
 1200 x 600 x 9mm rectified brushed
 1200 x 600 x 9mm rectified natural
 800 x 800 x 9mm rectified brushed
 800 x 800 x 9mm rectified natural
 800 x 800 x 20mm rectified grip
 600 x 600 x 9mm rectified brushed
 600 x 600 x 9mm rectified natural
 600 x 300 x 9mm rectified brushed
 600 x 300 x 9mm rectified natural
 mosaic 300 x 300 x 9mm rectified (47 x 47mm) natural
 chic mosaic 310 x 220 x 9mm rectified brushed
 skirting 600 x 54 x 9mm rectified natural

Colours



Passion




Cosmo




Mist



Lux



Crystal



Chic Mosaic
in Cosmo



Sapphire



Standard mosaic
& Chic Mix

Technical Details - 7, 9 & 20 mm

Technical Features	Test Method	Required Values	Average Values
Water Absorption	ISO 10545-3	≤ 0,5%	0,1%
Flexion Resistance	ISO 10545-4	≥ 35 N/mm ²	Compliant
Linear Thermal Expansion	ISO 10545-8	Declared value	α = 6,7x10⁻⁶ /C°
Stain Resistance	ISO 10545-14	Classe / Class 3 Min.	Complying
Chemical Resistance (*)	ISO 10545-13	Declared Value	Compliant
Frost Resistance	ISO 10545-12	Compliant	No damage
Slip Resistance	BS 7976:2002	Nat R10, Grip R11 Pendulum both +/- 36 wet	Compliant
Thickness	ISO 10545-2	7mm, 9mm & 20mm +/- 0.5mm	Compliant
Recommended Joint Width		Rectified	2mm

(*) Excluding hydrofluoric acid and its derivatives. (**) The width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards.

Packaging Details

Size	Pz/Box	Kg/Box	Mq/Box	Box/Pal	Kg/Pal	Mq/Pal
2600 x 1200 x 7mm rectified brushed	20	1060	62.4	Pack 36	1908	112.3
1200 x 1200 x 9mm rectified	2	58	2.88	20	1160	57.6
1200 x 600 x 9mm rectified	2	31.8	1.44	35	1085	50.4
800 x 800 x 9mm rectified	2	26.2	1.28	40	1048	51.2
800 x 800 x 20mm rectified	1	29	64	40	1160	25.6
600 x 600 x 9mm rectified	3	22.5	1.08	40	900	43.2
600 x 300 x 9mm rectified	6	22.5	1.08	48	1080	51.84
mosaic 300 x 300 x 9mm rectified (47 x 47mm)	11	20.3	1	36	730.8	36
chic mosaic 310 x 220 x 9mm rectified	5	7.5	0.34	-	-	-
skirting 600 x 54 x 9mm rectified	10	-	-	-	-	-



Acquaint Passion

Acquaint Mist





Acquaint Crystal



Acquaint Sapphire



Acquaint Cosmo with Crystal sides

Acquaint Lux with Passion paving and walls



skirting 600 x 54 x 9mm rectified



Acquaint Chic Mix Blue

Mosaic Mix Crystal/ Cosmo





204 Duggins Lane, Tile Hill, Coventry,
CV4 9GP
02475 092 859
www.keystoneco.co.uk



