



YORKLANE



# TECHNICAL DETAILS


20 mm outdoor porcelain tiles inspired by Yorkstone.  
Available in 1200 x 600mm (Cutting to random length format -  
please enquire)

The rich colour and natural look of our Yorklane porcelain paving makes it perfect for those aiming to achieve a London Paving look with their outdoor space.

Whether on foot paths, terraces on pedestals, or vehicular access routes.

Porcelain paving is one of the most versatile and durable surfacing solutions on the market today.


Suitable for:




Exterior



Heavy Footfall



Pool Edging



Stairs

## Technical Specifications

	Norm	Average Value
Water absorption	EN ISO 10545_3	0,01 mass%
Breaking Strength	EN ISO 10545_4	12360 N
Flexular Strength (MOR)	EN ISO 10545_4	46 N/mm <sup>2</sup>
Abrasion Resistance	EN ISO 10545_6	118 mm <sup>3</sup>
Frost Resistance	EN ISO 10545_12	YES
Slip Resistance	DIN 51130	R11
Stain Resistance	EN ISO 10545_14	Class 4 easy to clean

## Technical Specifications

All tiles have a thickness of 20 mm and are rectified

Size: 1200 x 600mm

boxes/pallet 22

sqm/pallet 15.84

sqm/load 570.24

# PROJECT IMAGES





204 Duggins Lane, Tile Hill, Coventry, CV4 9GP  
02475 092 859  
[www.keystoneco.co.uk](http://www.keystoneco.co.uk)

